

SOUTH AUSTRALIA.

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL OF BIRTHS, DEATHS,
AND MARRIAGES.

1877.

ADELAIDE:

W. C. COX, GOVERNMENT PRINTER, NORTH-TERRACE.

1878.

HIS Excellency the Administrator of the Government directs the publication of the following Report from the Registrar-General of Births, Deaths, and Marriages for general information.

By command,
WILLIAM MORGAN, Chief Secretary.

General Registrar of Births, &c., Offices,
Adelaide, March 11, 1878.

Sir—I have the honor to submit the following Report and Returns of Births, Deaths, and Marriages that have been registered in the year ended 31st December, 1877.

The population of the whole Province on the 1st day of January, 1877, was estimated at 225,677, and on 30th June at 230,929; the increase for the half-year, arising from excess of births over deaths, and of immigration over emigration, being 5,252 (*vide Government Gazette*, page 324). During the six months from July 1st to December 31st, from excess of births over deaths, and of immigration over emigration, the increase is calculated at 5,935. This gives the increase for the whole year 11,187. The estimate for the latter half of the year is based on the records of the office and the weekly returns of immigration and emigration, which are published in the *Gazette*. The population of the Province is estimated at 236,864 (males, 123,392; females, 113,472) on the 31st December, 1877.

The number of births registered was 8,640. This is the highest number ever recorded in one year; exceeding that of 1876, which had been regarded high beyond precedent, by 416.

The birth-rate to 1,000 of the population, is 37·41. In the last report received from the Registrar-General of England the birth-rate for England and Wales is given as 36·2 per 1,000 of the population, which is considered unusually high. According to the census of 1876, the number of women between the ages of 15 and 45 years amounted to 45,913. The birth-rate relative to this number is 18·8 for every one hundred.

The birth-rate for the City of Adelaide is 36·9, and beyond the limits of the City, including the suburban and country districts, 37·60.

There were 4,382 males and 4,258 females born, giving 124 an excess of males. The proportion of males to 100 females is about 103.

The number and rate to the total births registered in each quarter are thus stated; in the September quarter, 2,373, or 27·5 per cent.; in the June, 2,182, or 25·2; in the December, 2,107, or 24·3; in the March, 1,978, or 22·10.

The deaths amounted to 3,235, and are less than those registered in the three immediately preceding years respectively.

The rate of mortality for the whole Province was 14·00 per 1,000 of the population. In only three of ten years from 1868 has the rate been less; in 1869, when it reached 12·54; in 1871, 12·95; in 1873, 13·68.

The deaths in the City of Adelaide numbered 851. In this number are included deaths of persons in the Hospital whose usual residence had not been in Adelaide. These are reckoned at 122. If the whole number of deaths be taken into account, the death-rate per thousand of the population for the City is 26·95; if the non-residents in Adelaide, whose deaths occurred in the Hospital be excluded, the rate is 23·09.

If to the census population of 1876, to which throughout the death-rate has had reference—the annual average increase of population in the five years from 1871 to 1876 be added—the death-rate will be further lessened. The increase to the population during the period from March, 1876, the date of the census, to June 30, 1877, when the death-rate has to be determined, is 1,091; raising the city population to 32,664, and affording a death-rate of 22·31.

Beyond the city, and within a radius of eight miles, the population of the towns and districts is estimated at about 41,000. Within such limit the registered deaths were 657, and the rate per 1,000 was 16·02.

Of the deaths throughout the provinces—3,235—those of males amounted to 1,740; of females, 1,495. For each 100 deaths of females, 116 deaths of males took place. Relatively, to 1,000 of the population the rate of deaths of males is 14·48; of females, 13·49.

The proportion of deaths per cent. to the whole number registered is as follows:—

Under 5 years	48·40
“ 20 “	8·28
“ 40 “	15·55
“ 60 “	15·08
“ 80 “	10·66
80 and upwards	2·03

The proportion of deaths to 1,000 of the census population living under each age is as under:—

Age.	Population.	Deaths.	Rate.
Under 5 years	31,614	1,563	49·44
5 years and under 20	81,774	268	3·27
20 “ “ 40	60,293	502	8·37
40 “ “ 60	30,939	488	15·67
60 “ “ 80	8,168	344	42·11
80 and upwards	356	56	157·30
Unstated	..	14	..

The births numbering 8,640, the deaths of infants under one year of age, 1,212, the proportion of deaths to every hundred births is 14·0.

The deaths in each quarter, arranged according to larger or lesser numbers, are thus expressed:—In the first quarter, 1,030; in the second quarter, 874; in the fourth quarter, 739; in the third quarter, 592. The numbers in the first quarter are above the average of the preceding years from 1868 by 218; the second quarter is precisely equal to the average; the fourth quarter 50 below; and the third 31.

The death-rate per 1,000 of the mean population for each quarter was in the quarter ending—

March 31	17·84
June 30	15·13
September 30	10·25
December 31	12·80

From the above it would appear that in this year the greatest mortality prevailed in the March quarter, the least in the September. In 1876, the greatest was in September, which is the only instance of such occurring in the ten years from 1868.

Of the specified causes of death, 3,225, the following is the rate, under different classes, per 100:—

Zymotic diseases	22·63
Constitutional diseases	12·93
Local diseases	38·85
Developmental diseases	20·43
Violent deaths	5·16

In the years 1874, 1875, and 1876, the rate of deaths from zymotic to 100 of specified causes was 30·96, 31·28, and 25·38.

The rate to 1,000 of the population under the respective classes is—zymotic, 3·16; constitutional, 1·88; local, 5·85; developmental, 2·85.

Deaths from miasmatic diseases amounted to 656, and are more numerous than any other order throughout. There is noticeable in the returns of the present year the absence of any epidemic. The total number ascribed to scarlatina—the last disease which appeared as an epidemic—was 71. In the preceding year, 1875 and 1873, deaths from this cause reached 484 and 244 respectively. No one month, however, was entirely free from mortality from this disease. Thirty-two deaths occurred in the District of Adelaide. The rest were distributed in small numbers throughout the country districts.

Deaths from typhoid fever numbered 84, of which 16 only occurred in the Adelaide district.

The most formidable cause of deaths in this order was diarrhoea, to which is attributed 266. This disease prevailed principally in the months from January to April, and in December; the aggregate deaths for these specified times being 219. For the remainder of the year the fatal results were but 47. No death from diarrhoea took place in the month of August.

Deaths from cancer reached the high number of 72, which, however, is less by 5 than in the preceding year.

Deaths registered from phthisis were 203, less by 23 than in 1876. No great difference in the numbers of such is apparent in any one month.

There were 147 deaths from convulsions—the larger number occurring in the former half of the year—and 108 from brain disease.

Heart disease, 164, varies from 7 to 22 in any one month.

Bronchitis has not been so fatal during the present year as in 1876, and shows a decrease of 115.

Atrophy, more fatal in this year than in 1876, has assigned to it 336 deaths, the largest number resulting from any one cause.

In the City of Adelaide the most numerous deaths arose from atrophy and debility, which reached 81. A total of 59 occurred in January, February, March, April, and December together; the remainder are referred to the other months, and range from 5 to 2 in any one month. Registered under phthisis are 73 deaths; 10, the highest in one month, took place in February; 3, the lowest, in August and December respectively. There were 55 deaths from diarrhoea; 16 in January, 9 in February, 11 in March, and 8 in December. In each of the months, September and November, there were 2 deaths; in June, 3; in April, 4; and not any in May, July, August, and October. The mortality from typhoid fever was 7. Scarlatina numbered 26.

In 1876, a table was published, showing the number of deaths which had occurred in the Province, arranged in the order of their fatality. Some few of the causes followed by the most fatal effects are given, for comparison, between last year and the present.

1876.			1877.		
Atrophy and debility.....	298		Atrophy and debility.....	336	
Bronchitis	251		Diarrhoea	268	
Scarlatina	244		Phthisis	203	
Phthisis	226		Heart disease	164	
Diarrhoea.....	204		Convulsions	163	
Convulsions	173		Bronchitis	136	
Old age	160		Old age	127	
Pneumonia	132		Brain disease	108	
Heart disease	126		Pneumonia	106	
Brain disease	95		Teething	106	
Typhoid fever.....	92		Typhoid fever.....	84	
Teething	77		Scarlatina	71	

From an inspection of the above, it will be seen that, with the exception of atrophy, debility, old age, and typhoid fever, the causes of death have changed their position as decided by number, and given a distinctive character to the years. In England, in the reports of the Registrar-General for 1873 and 1874, a similar arrangement is given. In both years, according to numerical order, appear side by side, bronchitis, phthisis, atrophy, and debility, old age, heart disease, convulsions, pneumonia. The first change appears where for diarrhoea and scarlet fever in the former years, scarlatina and diarrhoea are substituted in the latter.

The marriages celebrated in the year numbered 2,002. This is the largest number of marriages in the ten years from 1868 to 1877. Those of 1876 are exceeded by 150. The annual increase in each of the five years from 1872 to 1876 is thus given:—201, 49, 77, 164, and 150.

The rate of marriages to 1,000 of the population is 8·67.

The number of persons married per 1,000 of the population is 17·33. The proportion under specified ages is given as follows:—

Age.	Population.			Per 1,000 of the population.		
	Total.	M.	F.	Total.	M.	F.
15 and under 20 ..	23,475	11,691	11,784	28·20	5·73	54·81
20 “ “ 25 ..	19,048	9,865	9,183	94·02	90·42	97·80
25 “ “ 30 ..	15,230	8,250	6,980	52·00	63·87	37·96
30 “ “ 35 ..	13,875	7,555	6,320	20·71	27·26	12·65
35 “ “ 40 ..	12,140	6,537	5,603	14·25	19·42	8·20
40 “ “ 45 ..	10,611	5,510	5,101	6·35	7·98	4·50
45 “ “ 50 ..	8,488	4,709	3,779	5·77	7·43	3·70

In five out of ten years most marriages were celebrated in

Births and Deaths registered

	Births.																						
	M.	F.	Total.	1.		2.		3.		4.		5.		10.		15.		20.		25.			
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Adelaide.....	1199	1202	2401	204	194	43	45	10	10	4	9	2	3	15	12	15	21	16	29	27	24		
Hindmarsh	97	110	207	23	16	3	2	—	1	1	—	—	—	2	—	1	—	—	2	—	3		
Port Adelaide	258	249	507	43	37	3	2	—	1	1	2	—	1	2	4	2	4	2	1	4	—		
Daly	543	521	1064	99	97	12	12	4	2	2	4	1	2	8	4	4	3	7	7	4	8		
Willunga	31	33	64	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—		
Yankalilla.....	38	39	77	—	1	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	1		
Encounter Bay	55	38	93	2	7	2	—	—	1	—	—	—	2	—	—	1	2	—	—	—	—		
Strathalbyn	95	93	188	7	13	2	—	1	—	—	1	2	1	2	2	1	1	—	1	3	—		
Robe	47	35	82	3	3	1	1	—	—	—	—	—	—	1	1	1	1	1	—	1	1		
Grey	189	167	356	22	11	2	2	—	—	1	—	3	—	1	1	1	2	3	—	4	4		
Wellington	69	67	136	4	3	3	1	—	—	1	2	2	—	1	1	—	—	—	1	—	—		
Morphett Vale.....	30	42	72	2	6	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	1		
Mount Barker.....	33	32	65	4	8	—	—	—	—	—	2	—	—	—	—	—	2	1	1	—	—		
Nairne	61	53	114	6	4	—	1	—	1	—	—	2	2	1	—	1	2	2	1	—	—		
Talunga	108	76	184	9	6	—	1	—	1	1	—	—	—	—	—	1	—	—	—	2	—		
Highercombe	29	29	58	4	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Port Gawler.....	75	67	142	9	6	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
Crawford	26	23	49	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Barossa	171	171	342	14	15	2	3	2	—	—	—	3	—	—	—	1	—	—	—	1	—		
Angaston	118	108	226	9	11	1	4	1	—	1	—	5	2	—	3	2	—	1	2	3	1		
Kapunda	162	180	342	24	21	4	8	3	2	2	1	1	1	2	1	—	2	2	—	2	2		
Gilbert	230	236	466	23	16	8	5	5	—	1	1	—	—	3	3	1	1	2	—	3	2		
Burra	136	125	261	21	26	2	6	1	—	1	—	—	—	—	—	2	1	2	2	1	1		
Clare	341	334	675	54	48	7	5	—	—	—	3	3	2	3	4	2	3	3	8	2	—		
Upper Wakefield	59	51	110	5	7	3	1	1	—	2	—	—	—	1	—	2	1	1	—	1	—		
Frome	140	145	285	26	23	8	1	3	—	1	—	2	—	2	2	2	3	3	1	1	—		
Flinders.....	42	32	74	3	5	—	1	—	1	—	—	—	1	—	—	—	—	1	—	—	1		
Total.....	4382	4258	8640	624	588	108	104	32	20	18	23	26	20	41	37	37	49	48	56	64	59		

the second quarter; in three of the years in the fourth; in two in the first. Marriages in the third quarter, during that time, have usually been most numerous. Otherwise, in three years the September quarter has been the least; in four years, the March quarter; in two years, the June quarter; in one the December. No absolute regularity has prevailed. In the present year the marriage rate in the different quarters to each 100 of the number registered is, in the—

Quarter ending 31st March	23·6
“ 30th June	25·1
“ 30th September	24·1
“ 31st December	27·2

Thus it appears that in 1877 the largest proportion of marriages took place in the December quarter, being 27·2 of each hundred of the whole number, exceeding by the June quarter by 2·1, the September by 3·1, the March by 3·6.

Most of the marriages were celebrated between bachelors and spinsters, and numbered 1,706; the percentage to the whole number being 85·22. Those between widowers and spinsters, the next most numerous, were 134, or 6·70 per cent.; between bachelors and widows, 84, or 4·26 per cent.; and between widowers and widows, 78, or 3·88 per cent.

There were two marriages of girls, the age of each of whom was stated at 14 years. The most advanced age at which marriage was celebrated was that of a man of 79 years to a woman of 55.

The signatures by mark to the marriage registers amounted to 281, those of males being 123, of females 158. The excess over those of last year is 6, The rate for the hundred for last year is 7·42, for the present, 6·71. In the ages 15 and under 20, the number of women who signed by mark was 29, or about 4·8 per cent.; in the ages between 20 and 25, the signatures by mark of men were 47, or 5·4, of women 55, or 6·5.

In the religious denominations ministers of the Church of England celebrated the largest number of marriages—459, or 22·9 per cent. of the total registered. Next in numerical order are the Wesleyans, whose marriages numbered 342, or

17·1. The Roman Catholics celebrated 241, or 12·0; the Primitive Methodists 171, or 8·5; the Presbyterians 131, or 6·5; the Lutherans 124, or 6·2; the Bible Christians 119, or 5·9; the Congregationalists 115, or 5·7; the Baptists 107, or 5·3.

The civil marriages throughout the province were 98, or 4·9. Of these marriages, 71 were celebrated in the city of Adelaide.

I have the honor, &c.,

JOHN F. CLELAND,
Registrar-General of Births, &c.

The Hon. the Chief Secretary.

Births, Marriages, and Deaths Registered in the year, 1877, and the proportion of Births, Deaths, and Marriages to every thousand Persons living.

Districts.	Total number of			Proportion to every thousand of the population.		
	Births.	Marriages.	Deaths.	Births.	Marriages.	Deaths.
Metropolitan	1,185	643	851	36·09	20·36	25·44
Extra Metropolitan	7,455	1,359	2,384	37·60	6·81	12·02
Total.....	8,649	2,002	3,235	37·41	8·67	14·00

Marriages celebrated by Officiating Ministers, Officiating Registrars, and District Registrars.

Denomination.	No. of Marriages.	Denomination.	No. of Marriages.
Church of England	459	Methodist New Connexion ..	5
Roman Catholic	241	Friends
Lutheran	124	Moravian
Congregational	115	Unitarians.....	2
Wesleyan	342	Jews	5
Free Church of Scotland..	19	New Jerusalem Church ..	5
Presbyterian Church of } South Australia }	131	Christian Disciples	39
Christian Brethren	12	Free Methodist Church ..	4
Baptist	107	Officiating Registrars	4
Bible Christian.....	119	District Registrars	98
Primitive Methodist	171	Total	2002

in each District of the Province.

Deaths.																																			
30.		35.		40.		45.		50.		55.		60.		65.		70.		75.		80.		85.		90.		95.		100.		Not stated.		Total.			
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.	
29	25	32	26	40	16	30	21	35	17	41	15	40	22	27	25	29	17	24	11	14	9	7	6	4	5	2	5	—	—	1	1	691	568	1259	
—	—	2	3	—	3	—	1	1	2	1	1	2	1	1	—	2	4	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	41	41	82
1	2	8	5	1	5	4	5	6	1	4	2	—	2	3	1	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	88	79	167
6	5	5	6	—	7	8	9	6	1	3	1	6	—	2	2	3	4	1	5	1	—	2	—	—	—	—	—	—	—	—	—	—	187	181	368
—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	5	11
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	5	11
2	—	—	—	—	2	2	1	—	2	—	—	—	—	—	—	—	1	1	2	—	—	—	2	—	—	—	—	—	—	—	—	—	16	20	36
—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	28	59
—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	8	25
—	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	65	44	109
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	10	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	16	25
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	21	28
1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	25	42
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23	20	43
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	5	13
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23	16	39
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	7	14
—	2	2	2	2	2	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	38	41	79
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	38	35	73
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	58	53	111
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	70	46	116
6	1	4	2	3	1	2	—	5	5	2	1	4	2	3	2	2	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	66	56	122
11	1	4	2	3	6	3	—	5	1	1	1	—	1	1	2	2	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	116	83	199
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18	22	40
6	—	1	2	5	1	4	2	1	2	3	—	—	2	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	68	47	115
—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	13	22
69	48	64	68	77	53	70	66	78	45	77	34	80	38	54	48	56	48	47	32	27	32	17	13	11	6	2	7	—	—	13	1	1740	1495	3235	

Births.			Deaths.		[Age...	1		2		3		4		5		10		15		20		25	
M.	F.	Total.	Cause of Death.			M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
366	354	720	January			77	75	14	18	2	1	2	6	3	3	6	5	5	3	7	6	5	6
			I. Zymotic diseases			31	23	10	6	2	—	1	3	2	—	3	2	2	—	1	1	1	2
			II. Constitutional diseases			3	6	—	1	—	—	1	—	—	2	—	1	—	—	4	1	—	2
			III. Local diseases			17	17	1	4	—	—	—	3	—	—	2	3	—	3	1	2	3	1
			IV. Developmental diseases			26	29	3	6	—	—	—	—	1	1	—	—	—	—	1	1	—	1
			V. Violent deaths			—	—	—	1	—	—	—	—	—	—	1	—	2	—	1	1	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
273	285	558	February			73	63	13	8	4	—	2	2	3	4	1	3	3	8	3	4	7	6
			I. Zymotic diseases			30	17	8	1	—	—	2	—	—	2	—	2	1	4	1	1	1	—
			II. Constitutional diseases			1	4	—	—	—	—	—	—	—	1	—	—	—	—	1	2	2	1
			III. Local diseases			17	15	3	3	1	—	—	1	3	1	1	1	2	3	1	1	3	3
			IV. Developmental diseases			25	25	2	4	—	—	—	1	—	—	—	—	—	—	—	—	—	2
			V. Violent deaths			—	2	—	—	2	—	—	—	—	—	—	—	1	—	—	—	1	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
366	334	700	March			96	84	20	16	2	2	1	—	1	2	8	5	4	6	4	1	6	4
			I. Zymotic diseases			37	25	10	10	—	1	1	—	—	—	2	4	1	1	—	—	—	1
			II. Constitutional diseases			5	5	—	—	—	—	—	—	—	1	—	—	2	1	1	—	1	
			III. Local diseases			30	20	8	4	1	1	—	—	1	—	3	—	3	3	1	—	1	1
			IV. Developmental diseases			22	34	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
			V. Violent deaths			2	—	1	—	1	—	—	—	—	1	2	1	—	—	2	—	3	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
379	364	743	April			92	79	14	13	2	3	—	2	3	2	3	2	4	3	9	9	7	7
			I. Zymotic diseases			26	27	6	7	—	2	—	—	1	2	1	—	—	1	1	3	2	2
			II. Constitutional diseases			4	—	2	1	1	—	—	—	—	—	—	—	—	1	5	3	2	2
			III. Local diseases			20	21	3	2	1	—	—	1	1	—	1	2	3	1	3	3	3	1
			IV. Developmental diseases			42	29	3	3	—	1	—	1	—	—	—	—	1	—	—	—	2	2
			V. Violent deaths			—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
361	369	730	May			48	55	5	9	4	—	3	1	—	—	3	5	4	5	7	3	9	4
			I. Zymotic diseases			12	15	2	3	2	—	—	—	—	—	2	1	—	4	4	4	2	4
			II. Constitutional diseases			—	2	—	1	—	—	1	—	—	—	—	—	1	2	1	3	2	2
			III. Local diseases			14	16	2	4	2	—	2	1	—	—	—	2	2	—	—	—	2	2
			IV. Developmental diseases			21	21	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			1	1	—	—	—	—	—	—	—	—	1	2	2	—	1	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
371	338	709	June			41	33	6	7	3	3	2	1	2	1	3	1	3	6	3	4	4	3
			I. Zymotic diseases			8	7	—	2	2	3	—	1	1	1	1	1	1	4	1	2	1	—
			II. Constitutional diseases			1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—
			III. Local diseases			17	11	5	3	1	—	—	1	—	—	—	—	1	2	2	2	1	1
			IV. Developmental diseases			15	13	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
376	354	730	July			27	26	5	7	4	2	2	—	3	2	3	4	3	2	1	2	2	5
			I. Zymotic diseases			4	4	1	3	3	—	1	—	2	2	2	1	—	—	1	1	1	2
			II. Constitutional diseases			2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
			III. Local diseases			12	9	2	3	—	—	1	—	1	—	1	2	2	1	—	—	1	1
			IV. Developmental diseases			8	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			1	1	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
407	416	823	August			26	33	3	1	5	2	—	2	3	1	2	3	2	6	3	5	3	2
			I. Zymotic diseases			6	3	2	—	2	—	—	1	2	—	2	1	1	1	—	—	—	—
			II. Constitutional diseases			1	1	—	—	—	—	—	—	1	—	1	—	2	2	—	1	1	—
			III. Local diseases			11	15	1	1	3	2	—	—	1	—	—	1	—	3	—	2	1	1
			IV. Developmental diseases			7	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			1	2	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
419	401	820	September			25	26	4	3	2	3	1	3	1	2	1	2	3	2	—	5	5	3
			I. Zymotic diseases			5	6	1	—	—	1	—	1	1	1	1	1	—	—	—	—	—	—
			II. Constitutional diseases			1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1
			III. Local diseases			11	10	3	1	2	2	—	2	—	1	—	1	3	—	—	2	3	2
			IV. Developmental diseases			7	9	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			1	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
381	363	744	October			22	27	9	5	1	2	2	3	2	—	2	1	1	2	7	2	3	4
			I. Zymotic diseases			1	4	3	3	—	1	—	3	—	—	—	—	—	—	4	—	—	—
			II. Constitutional diseases			1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
			III. Local diseases			11	9	3	2	—	1	1	—	1	—	2	—	1	2	1	1	3	2
			IV. Developmental diseases			8	13	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
370	371	741	November			37	34	4	7	3	—	1	2	4	—	6	3	3	2	3	8	3	6
			I. Zymotic diseases			11	11	2	3	1	—	1	1	2	—	3	—	1	1	1	1	—	1
			II. Constitutional diseases			1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	4	—	—
			III. Local diseases			14	12	—	3	1	—	—	1	2	—	2	3	—	1	2	3	2	3
			IV. Developmental diseases			11	11	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			V. Violent deaths			—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
			Unstated			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
313	309	622	December			60	53	11	10	—	2	2	1	1	3	3	3	2	4	1	7	10	9
			I. Zymotic diseases			22	25	7	4	—	2	—	1	1	2	—	2	—	1	—	2	4	—
			II. Constitutional diseases			4	6	—	2	—	—	—	—	—	—	—	—	1	—	—	2	3	3
			III. Local diseases			12	13	3	2	—	—	—	—	—	—	2	1	—	1	1	3	1	5
			IV. Developmental diseases			21	9	—	1	—	—												

Births.			Deaths.	[Age...	1	2	3	4	5	10	15	20	25	
M.	F.	Total.	Cause of Death.		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
59	55	114	January		18	18	4	7	—	—	—	—	—	—
			I. Zymotic diseases		7	4	3	4	—	—	—	—	—	—
			II. Constitutional diseases		1	2	—	—	—	—	—	—	—	—
			III. Local diseases		3	4	—	—	—	—	—	—	—	—
			IV. Developmental diseases		7	8	1	1	—	—	—	—	—	—
			V. Violent deaths		—	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
31	36	67	February		16	17	6	1	—	—	—	—	—	—
			I. Zymotic diseases		5	6	5	—	—	—	—	—	—	—
			II. Constitutional diseases		—	—	—	—	—	—	—	—	—	—
			III. Local diseases		2	3	—	—	—	—	—	—	—	—
			IV. Developmental diseases		9	7	1	1	—	—	—	—	—	—
			V. Violent deaths		—	1	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
48	52	100	March		17	18	7	6	—	—	—	—	—	—
			I. Zymotic diseases		6	7	4	5	—	—	—	—	—	—
			II. Constitutional diseases		1	2	—	—	—	—	—	—	—	—
			III. Local diseases		5	2	2	1	—	—	—	—	—	—
			IV. Developmental diseases		5	7	—	—	—	—	—	—	—	—
			V. Violent deaths		—	—	1	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
57	48	105	April		14	11	5	—	—	—	—	—	—	—
			I. Zymotic diseases		1	2	3	—	—	—	—	—	—	—
			II. Constitutional diseases		—	—	—	—	—	—	—	—	—	—
			III. Local diseases		2	4	1	—	—	—	—	—	—	—
			IV. Developmental diseases		10	4	1	—	—	—	—	—	—	—
			V. Violent deaths		—	1	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
52	59	111	May		6	6	—	2	—	—	—	—	—	—
			I. Zymotic diseases		1	—	—	1	—	—	—	—	—	—
			II. Constitutional diseases		—	1	—	—	—	—	—	—	—	—
			III. Local diseases		1	1	—	2	—	—	—	—	—	—
			IV. Developmental diseases		4	4	—	—	—	—	—	—	—	—
			V. Violent deaths		—	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
52	52	104	June		11	10	2	1	—	—	—	—	—	—
			I. Zymotic diseases		2	3	—	—	—	—	—	—	—	—
			II. Constitutional diseases		—	1	—	—	—	—	—	—	—	—
			III. Local diseases		6	3	1	—	—	—	—	—	—	—
			IV. Developmental diseases		3	3	1	—	—	—	—	—	—	—
			V. Violent deaths		—	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
53	59	112	July		4	5	—	3	—	—	—	—	—	—
			I. Zymotic diseases		1	—	—	1	—	—	—	—	—	—
			II. Constitutional diseases		2	—	—	1	—	—	—	—	—	—
			III. Local diseases		1	1	—	1	—	—	—	—	—	—
			IV. Developmental diseases		—	3	—	—	—	—	—	—	—	—
			V. Violent deaths		—	1	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
50	43	93	August		7	7	1	1	—	—	—	—	—	—
			I. Zymotic diseases		2	—	1	1	—	—	—	—	—	—
			II. Constitutional diseases		—	1	—	—	—	—	—	—	—	—
			III. Local diseases		3	2	—	—	—	—	—	—	—	—
			IV. Developmental diseases		2	3	—	—	—	—	—	—	—	—
			V. Violent deaths		—	1	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
51	54	105	September		5	3	1	1	—	—	—	—	—	—
			I. Zymotic diseases		1	2	1	—	—	—	—	—	—	—
			II. Constitutional diseases		—	—	—	—	—	—	—	—	—	—
			III. Local diseases		3	—	—	1	—	—	—	—	—	—
			IV. Developmental diseases		—	1	—	—	—	—	—	—	—	—
			V. Violent deaths		1	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
46	48	94	October		5	5	2	2	—	—	—	—	—	—
			I. Zymotic diseases		—	1	—	—	—	—	—	—	—	—
			II. Constitutional diseases		—	—	—	—	—	—	—	—	—	—
			III. Local diseases		3	2	1	1	—	—	—	—	—	—
			IV. Developmental diseases		2	2	1	1	—	—	—	—	—	—
			V. Violent deaths		—	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
49	48	97	November		8	7	1	2	—	—	—	—	—	—
			I. Zymotic diseases		3	3	—	—	—	—	—	—	—	—
			II. Constitutional diseases		—	—	1	1	—	—	—	—	—	—
			III. Local diseases		3	3	—	—	—	—	—	—	—	—
			IV. Developmental diseases		2	1	—	—	—	—	—	—	—	—
			V. Violent deaths		—	1	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—
39	44	83	December		17	12	3	2	—	—	—	—	—	—
			I. Zymotic diseases		10	6	2	1	—	—	—	—	—	—
			II. Constitutional diseases		1	—	—	—	—	—	—	—	—	—
			III. Local diseases		2	3	1	—	—	—	—	—	—	—
			IV. Developmental diseases		4	3	—	—	—	—	—	—	—	—
			V. Violent deaths		—	—	—	—	—	—	—	—	—	—
			Unstated		—	—	—	—	—	—	—	—	—	—

30		35		40		45		50		55		60		65		70		75		80		85		90		95		100		Not stated.		Total.		
M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
1	1	1	—	5	2	—	—	6	2	3	1	3	2	2	2	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	51	43	94
—	1	1	—	1	—	—	—	1	2	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	11	26	
1	—	—	—	4	2	—	—	2	2	2	—	2	2	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	5	13	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	17	9	26	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	
4	1	1	4	3	1	—	3	1	—	4	1	5	—	1	3	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	48	41	89
—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	9	21	
—	—	1	—	2	1	1	—	—	—	2	1	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5	12	
4	—	—	2	1	—	—	—	1	—	2	—	3	—	—	3	1	1	1	—	—	1	—	—	—	—	—	—	—	—	—	15	12	27	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	12	24	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	5	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	1	1	3	5	2	2	1	2	—	5	2	4	—	5	—	2	—	2	—	1	—	1	—	—	—	—	—	—	—	—	—	68	38	106
1	1	—	1	3	1	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	10	17	27	
3	—	1	1	2	—	2	1	2	—	1	2	4	—	4	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	11	5	16	
—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	34	6	40	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	—	7	
1	3	2	2	1	1	—	—	5	2	1	—	5	3	1	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	42	30	72
1	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	5	11	
—	1	2	1	1	1	—	—	1	—	—	—	5	1	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	6	2	8	
—	—	—	—	—	—	—	—	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	15	31	
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	7	21	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	3	2	2	2	—	4	2	1	2	1	—	1	1	4	—	2	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	37	21	58
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	4	
1	3	1	1	2	—	3	2	1	1	—	—	1	—	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	6	11
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	16	11	27	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	4	12	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	4	
—	1	3	3	2	—	4	1	2	2	2	—	—	2	2	—	2	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	2	1	1	—	3	1	2	2	1	—	—	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	2	1	2	1	—	4	1	3	2	4	—	3	—	—	1	—	1	6	—	1	—	—	1	—	—	—	—	—	—	—	—	34	21	55
2	1	1	1	—	—	2	1	1	2	2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	6	13
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	15	7	22	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	4	3	7	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	4	
—	1	4	—	3	1	—	3	2	—	3	—	5	2	—	—	1	—	3	2	—	2	—	2	—	1	—	—	—	—	—	—	34	26	60
—	—	2	—	1	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	12	22	
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	3	8	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15	13	28	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	6	10	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	1	—	—	1	—	3	1	2	2	—	1	3	—	1	2	—	2	2	—	—	1	2	—	1	2	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	—	—	—	1	1	—	—	1	—	—	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	7	4	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	9	20	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	7	9	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	2	3	2	1	1	1	2	2	1	3	1	1	2	2	3	3	—	1	1	2	—	—	1	—	2	—	—	—	—	—	—	34	32	66
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	6	9	
—	2	3	1	1	1	—	—	1	—	1	—	1	—	1	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5	12
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	17	16	33	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	5	11	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	6	—	1	1	1	—	1	—	2	2	2	—	3	—	5	3	—	—	2	2	—	1	1	—	—	—	—	—	—	—	37	28	65
—	2																																	

Class.	Cause of Death.	Ages.....	MALES.																								Total.	
			1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100		Not stated.
	ALL CAUSES.....		524	108	32	18	26	41	37	48	64	69	64	77	70	78	77	80	54	56	47	27	17	11	2	—	13	1,740
	SPECIFIED CAUSES.....		524	108	32	18	26	41	37	48	64	69	63	76	68	77	77	80	54	56	47	27	17	11	2	1	13	1,735
	Classes.																											
I.	ZYMOTIC DISEASES.....		193	52	13	6	12	17	7	11	13	9	6	9	7	9	4	7	4	5	2	2	—	—	—	—	—	388
II.	CONSTITUTIONAL DISEASES.....		24	3	1	2	1	2	3	20	14	15	17	24	11	20	17	13	12	6	5	1	1	—	—	—	—	213
III.	LOCAL DISEASES.....		186	34	12	5	11	15	17	12	24	29	33	39	36	38	46	53	31	36	25	12	7	1	—	—	703	
IV.	DEVELOPMENTAL DISEASES.....		213	15	—	1	1	—	—	—	1	1	—	—	—	4	—	4	3	9	15	12	9	—	—	—	299	
V.	VIOLENT DEATHS.....		8	4	6	4	1	7	10	5	12	15	7	4	14	6	10	3	4	—	—	—	—	—	—	12	132	
	Order.																											
I.	1. MIASMATIC DISEASES.....		169	52	13	6	12	16	7	10	10	6	4	6	4	7	2	4	3	5	2	1	—	—	—	—	339	
	2. ENTHETIC DISEASES.....		14	—	—	—	—	—	—	—	1	3	1	3	3	2	2	3	1	—	—	—	—	—	—	—	2	
	3. DIETIC DISEASES.....		10	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	33	
II.	4. PARASITIC DISEASES.....		3	1	—	—	1	1	6	1	—	3	4	2	12	13	11	6	5	5	1	1	—	—	—	—	14	
III.	1. DIATHETIC DISEASES.....		21	2	1	2	1	1	2	14	13	15	14	8	20	9	8	4	2	6	1	1	—	—	—	—	78	
	2. TUBERCULAR DISEASES.....		99	15	10	1	4	5	5	—	5	7	8	10	9	6	13	19	4	10	5	3	2	—	—	—	135	
	3. DISEASES OF NERVOUS SYSTEM.....		2	—	—	—	1	2	2	1	1	9	5	10	11	10	12	9	8	5	10	2	2	—	—	—	240	
	4. DISEASES OF ORGANS OF CIRCULATION.....		48	13	1	4	3	2	5	4	7	4	10	11	4	6	13	11	13	8	1	6	2	1	—	—	104	
	5. DISEASES OF DIGESTIVE ORGANS.....		36	6	—	—	3	4	3	5	9	8	4	5	8	12	2	12	4	6	3	1	—	—	—	—	177	
	6. DISEASES OF URINARY ORGANS.....		—	—	—	—	—	1	2	—	2	1	3	3	3	3	5	1	2	6	6	—	—	—	—	—	131	
	7. DISEASES OF ORGANS OF GENERATION.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	36	
	8. DISEASES OF INTEGUMENTARY SYSTEM.....		1	—	—	—	—	1	2	—	1	1	2	1	1	1	1	—	—	—	—	—	—	—	—	—	12	
IV.	1. DEVELOPMENTAL DISEASES OF CHILDREN } AND CONGENITAL MALFORMATION.....		81	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
	3. DEVELOPMENTAL DISEASES OF OLD PEOPLE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	8	15	11	9	2	—	86	
	4. DEVELOPMENTAL DISEASES OF NUTRITION.....		132	10	—	1	1	—	—	—	1	1	—	—	—	4	—	3	1	1	15	11	9	9	2	—	57	
V.	1. ACCIDENT OR NEGLIGENCE.....		8	4	6	4	1	7	9	3	12	12	6	4	12	3	5	2	4	—	—	—	—	—	—	—	156	
	3. HOMICIDE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	114	
	4. SUICIDE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	OTHER VIOLENT DEATHS NOT CLASSED.....		—	—	—	—	—	—	1	2	—	3	1	—	2	1	5	1	—	—	—	—	—	—	—	—	16	
	SUDDEN DEATHS, CAUSE UNSTATED.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	CAUSE NOT SPECIFIED.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
	ORDER 1.																											
	Measles.....		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	Scarlatina.....		3	8	8	2	—	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31	
	Diphtheria.....		5	4	2	1	5	3	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	
	Quinsy.....		1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	Croup.....		6	6	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	
	Whooping-cough.....		9	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	
	Typhoid Fever.....		1	1	—	—	1	2	4	7	5	5	2	1	1	1	1	—	2	1	—	—	—	—	—	—	35	
	Erysipelas.....		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	46	
	Metria.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	
	Carbuncle.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Dysent'ry.....		21	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Diarrhoea.....		118	21	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	38	
	Cholera.....		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	145	
	Remittent Fever.....		2	1	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
	Rheumatism.....		—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	
	Other causes.....		1	—	—	—	—	—	—	2	3	—	—	3	1	3	—	—	—	—	—	—	—	—	—	—	17	
	ORDER 2.																										1	
	Syphilis.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other causes.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 3.																										—	
	Privation.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Want of breastmilk.....		13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	Purpura and scurvy.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Alcohol { Delerium tremens.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Intemperance.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	ORDER 4.																										—	
	Thrush.....		10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	
	Worms.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	
	Other causes.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
II.	ORDER 1.																										—	
	Gout.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Dropsy.....		2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cancer.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Noma.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Mortification.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Other causes.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
II.	ORDER 2.																										—	
	Scrofula.....		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

[illegible]

Return showing the Causes of Death in the Province at different Ages in the year 1877.

Class.	Cause of Death.	Ages.....	FEMALES.																										Total.
			1	2	3	4	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	Not stated.		
	ALL CAUSES.....		588	104	20	23	20	37	49	56	59	48	68	53	66	45	34	38	48	48	32	32	13	6	7	—	1	1495	
	SPECIFIED CAUSES.....		588	104	20	23	20	37	49	56	57	48	67	52	65	45	34	38	48	48	32	32	13	6	7	—	1	1490	
Classes.																													
I.	ZYMOTIC DISEASES.....		167	42	10	11	10	16	18	11	9	7	5	12	6	4	4	3	6	—	2	—	—	—	—	—	—	343	
II.	CONSTITUTIONAL DISEASES.....		28	7	1	1	5	1	8	20	16	18	18	11	16	11	11	7	11	8	3	2	—	—	—	—	—	204	
III.	LOCAL DISEASES.....		168	32	7	9	2	16	20	19	23	19	29	21	32	29	17	23	27	29	16	7	2	1	1	—	—	550	
IV.	DEVELOPMENTAL DISEASES.....		216	19	1	2	1	1	—	4	9	3	13	7	7	1	1	5	4	11	11	23	11	5	5	—	—	360	
V.	VIOLENT DEATHS.....		9	4	1	—	2	3	3	2	—	1	2	1	4	—	1	—	—	—	—	—	—	—	—	—	—	33	
Order.																													
I.	1. Miasmatic Diseases.....		148	42	10	11	10	15	17	11	8	6	4	12	6	4	4	2	5	—	2	—	—	—	—	—	—	317	
	2. ENTHETIC DISEASES.....		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
	3. DIETIC DISEASES.....		9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	
	4. PARASITIC DISEASES.....		9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11	
II.	1. DIATHETIC DISEASES.....		4	1	—	1	—	—	1	2	3	3	4	5	7	7	8	4	11	8	3	2	—	—	—	—	—	75	
III.	2. TUBERCULAR DISEASES.....		24	6	1	—	5	1	7	18	13	15	14	6	9	4	3	3	—	—	—	—	—	—	—	—	—	129	
	1. DISEASES OF NERVOUS SYSTEM.....		86	18	3	4	—	6	2	4	2	2	10	5	11	8	4	5	12	7	6	4	—	—	—	—	—	200	
	2. DISEASES OF ORGANS OF CIRCULATION.....		3	—	—	—	1	5	10	2	3	8	5	10	5	4	6	7	8	2	—	—	—	—	—	—	—	83	
	3. DISEASES OF RESPIRATORY ORGANS.....		50	8	2	3	1	2	2	5	9	5	4	5	1	5	4	3	4	6	7	2	2	1	—	—	—	131	
	4. DISEASES OF DIGESTIVE ORGANS.....		27	5	1	2	—	2	4	5	3	7	7	4	10	8	5	6	3	6	1	1	—	—	—	—	—	107	
	5. DISEASES OF URINARY ORGANS.....		1	1	1	—	—	1	1	2	3	1	—	2	—	1	—	2	1	2	—	—	—	—	—	—	—	19	
	6. DISEASES OF ORGANS OF GENERATION.....		—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	
	7. DISEASES OF ORGANS OF LOCOMOTION.....		—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
	8. DISEASES OF INTEGUMENTARY SYSTEM.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
IV.	{ 1. DEVELOPMENTAL DISEASES OF CHILDREN AND CONGENITAL MALFORMATION.....		61	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	69	
	2. DEVELOPMENTAL DISEASES OF ADULTS.....		—	—	—	—	—	—	—	4	9	3	13	5	7	—	—	—	—	—	—	—	—	—	—	—	—	41	
	3. DEVELOPMENTAL DISEASES OF OLD PEOPLE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	4	9	11	22	11	5	5	—	—	70	
V.	4. DISEASES OF NUTRITION.....		155	11	1	2	—	1	—	—	—	—	—	2	—	1	—	2	—	2	—	—	—	—	—	—	—	180	
	1. ACCIDENT OR NEGLIGENCE.....		9	4	1	—	2	3	3	1	—	1	2	1	4	—	—	—	—	—	—	—	—	—	—	—	—	31	
	3. HOMICIDE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	4. VICIDE.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	SUDDEN DEATHS, CAUSE NOT ASCERTAINED.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
	CAUSE NOT SPECIFIED.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
ORDER 1.																													
I.	Measles.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	40
	Scarlatina.....		6	10	3	6	3	1	8	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
	Diphtheria.....		—	2	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Quinsy.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Croup.....		3	3	1	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
	Whooping-cough.....		19	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	23
	Typhoid fever.....		1	2	1	2	1	5	8	10	5	3	3	4	2	2	—	—	—	—	—	—	—	—	—	—	—	—	49
	Erysipelas.....		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	5	
	Metria.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
	Carbuncle.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Influenza.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Dysentery.....		18	2	1	—	—	1	—	—	—	—	—	—	2	2	1	3	—	—	—	—	—	—	—	—	—	—	1
	Diarrhœa.....		95	18	1	1	—	—	—	—	—	—	—	—	2	—	1	1	1	2	—	1	—	—	—	—	—	—	30
	Cholera.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	123
	Remittent fever.....		3	2	1	—	2	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
	Rheumatism.....		1	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
	Other causes.....		—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
ORDER 2.																													
	Syphilis.....		1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
	Other cause.....		—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
ORDER 3.																													
	Privation.....		1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
	Want of breastmilk.....		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	8
	Purpura and scurvy.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Alcohol { Delirium tremens.....		—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Intemperance.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	2
ORDER 4.																													
	Thrush.....		9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
	Worms.....		—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
II.	ORDER 1.																												
	Gout.....		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Dropsy.....		—	—	—	1	—	—	1																				

[illegible]

Births Registered in the Quarters of the Years 1868-77.

	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
Quarter ended—										
March 31	1,646	1,626	1,723	1,653	1,730	1,602	1,745	1,723	1,893	1,978
June 30	1,813	1,729	1,758	1,818	1,860	1,842	2,068	2,020	2,154	2,182
September 30	2,030	1,907	1,915	1,861	1,917	1,993	2,042	1,901	2,204	2,373
December 31	1,758	1,714	1,625	1,750	1,598	1,670	1,841	1,764	1,973	2,107
Total	7,247	6,976	7,021	7,082	7,105	7,107	7,696	7,408	8,244	8,640

Deaths Registered in the Quarters of the Years 1868-77.

	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
Quarter ended—										
March 31	733	545	831	629	818	762	745	1,354	906	1,030
June 30	703	619	728	652	826	653	805	1,175	834	874
September 30	517	485	447	490	624	612	665	828	940	592
December 31	563	562	538	607	628	604	1,219	779	870	739
Total	2,516	2,211	2,544	2,378	2,896	2,631	3,431	4,136	3,550	3,235

Marriages Celebrated in the Quarters of the Years 1868-77.

	1868.	1869.	1870.	1871.	1872.	1873.	1874.	1875.	1876.	1877.
Quarter ended—										
March 31	245	292	350	294	336	401	393	406	485	473
June 30	407	342	297	328	354	309	411	424	441	510
September 30	299	302	319	323	306	355	396	399	454	489
December 31	335	275	294	305	365	397	411	459	472	530
Total	1,286	1,211	1,260	1,250	1,361	1,562	1,611	1,688	1,852	2,002

Deaths (in each class) Registered in the Province in the Years 1868-77.

Class.	1868.		1869.		1870.		1871.		1872.		1873.		1874.		1875.		1876.		1877.	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
All causes	1,381	1,135	1,283	978	1,373	1,171	1,352	1,026	1,594	1,302	1,481	1,150	1,912	1,522	2,218	1,918	1,983	1,567	1,740	1,495
Specified causes	1,348	1,120	1,261	916	1,361	1,157	1,330	1,020	1,580	1,291	1,466	1,139	1,896	1,510	2,204	1,907	1,972	1,562	1,735	1,490
I. ZYMOTIC DISEASES	356	341	263	223	292	299	305	300	451	411	304	266	584	470	641	645	463	434	388	343
II. CONSTITUTIONAL DISEASES	172	160	148	127	162	148	150	141	167	142	170	140	186	204	216	180	240	221	213	204
III. LOCAL DISEASES	474	339	513	309	553	410	532	331	605	450	591	433	684	512	845	695	813	521	703	550
IV. DEVELOPMENTAL DISEASES	218	258	232	226	245	271	237	225	237	257	288	274	338	298	377	357	322	337	299	360
V. VIOLENT DEATHS	128	22	105	31	109	29	106	23	117	31	113	26	104	26	125	30	134	49	132	33

Return showing the number of Persons married, at different ages, in the Province in the year 1877.

Quarter ended—	15 and under 20		25		30		35		40		45		50		55		60		65		70 and upwards.		Full.		Under.		Total.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Total.
March 31	14	141	231	209	118	76	46	11	29	11	7	5	8	2	3	3	1	1	5	—	1	—	10	14	—	—	473	473	946
June 30	20	150	224	241	148	63	50	26	30	7	6	3	6	6	3	—	1	4	6	—	2	1	14	9	—	—	510	510	1020
September 30	20	153	216	221	125	52	45	18	30	14	15	7	13	3	6	4	2	1	—	—	4	—	13	12	—	4	489	489	978
December 31	13	151	221	128	136	74	65	26	38	14	16	8	13	3	2	4	5	2	3	1	4	—	19	16	—	3	530	530	1060
Total	67	595	892	899	527	265	206	81	127	46	44	23	35	14	14	11	9	8	14	1	11	1	56	51	—	7	2002	2002	4004
Widowers and Spinsters	—	16	4	48	23	30	26	15	37	8	14	12	12	12	8	6	6	1	4	2	3	—	6	—	—	—	134	134	268
Widowers and Widows	—	—	1	2	5	9	8	11	9	13	12	12	12	8	6	6	1	11	—	5	—	1	5	—	—	—	78	78	156
Bachelors and Widows	1	3	16	16	19	22	16	16	18	19	5	5	7	1	1	1	1	1	—	—	—	—	—	—	—	—	84	84	168
Signatures by mark	5	29	47	55	30	25	17	14	10	11	3	8	8	4	—	5	—	—	—	—	—	—	—	—	—	—	123	158	281